


Site Survey

“What are my PBX assets?”

Produced For
ABC Company

Customer Number: **12345**
Reflecting PBX Information from: **9/22/2008**



Inventory
Configuration
Performance
Security
Backup

IMPORTANT NOTICE


The information contained in this document is based upon data retrieved remotely from a PBX system. Some of the information presented may be derived, in whole or in part, from this data. Inconsistent and/or incorrect programming of the PBX may cause these derivations to be inaccurate. For the sake of consistency in these reports, there may be cases in which a best-effort attempt is made to derive particular information based upon related data in the PBX. As the reporting facilities of the PBX's hardware and software improve, the enhanced data will lead to more accurate InfoPlus reports. Technical errors encountered during the remote transfer of data from the PBX may cause spurious results in the report. Bristol Capital, Inc. does not guarantee the accuracy of the information presented, although reasonable attempts have been and will continue to be made to ensure InfoPlus reports are as accurate as possible.

This report and the information contained herein is to be used only for the purposes intended. Any disclosure of the information contained herein to parties other than the subscriber of this service, or the organization whose information is represented, is strictly prohibited.

InfoPlus® is a registered trademark of Bristol Capital, Inc. Montvale, NJ
Copyright © 2008 Bristol Capital, Inc. All rights reserved.

Communications Management with InfoPlus

Regardless of the size or type of organization, there are a few basic concerns of every communications manager. InfoPlus services help address those various concerns through its integrated suite of reports and analyses.



Inventory
Configuration
Performance
Security
Backup

Inventory – This document, the InfoPlus Site Survey, is a detailed accounting of each of the major hardware and software components of a PBX system. Concise and detailed, the Site Survey not only provides a knowledge base of purchased resources but it allows for effective asset management by specifying spare as well as used and total resources available.

Of increasing importance to communications managers, the Site Survey also lists the manufacturer's then current support rating (including Nortel's "End-of-Life" equipment) on each major component. Awareness of potential liabilities in the support of this equipment will enable communications managers to make plans for the maintenance or replacement of obsolete parts.

While the Site Survey is a logical starting point in gaining additional control over your telecommunications, one may quickly realize the need for an InfoPlus SourceBook. The SourceBook defines all the system programming that makes your communications system uniquely yours. Graphics of each set, identification of each software group (Call Pick-up, Intercom, etc.), Trunk Groups, call routing and even our service improving Action Items are assembled uniquely for your system.

Other services in the InfoPlus suite include:

Configuration - InfoPlus SourceBook

- Details a PBX system's programming
- Graphics of each set and each button's feature or line assignment
- Lists of each defined group (Intercom, Call Pick-up, etc.)
- Clearly defines trunking, call routing and even Calling Privileges
- Service-improving Action Items are uniquely assembled for your system

Performance - InfoPlus Traffic Study

- Consultative Report, not a "data dump"
- Supported by graphical representation of the "important" data
- Looks at Networks, Trunks, Consoles and even Processors
- Clear recommendations supported by factual data

Security - InfoPlus Security Audit

- Detailed review of system's programming
- 83 computerized analyses
- Each analysis consists of Description, the Security Concerns and Findings
- One hour of personal consultation is provided

Backup - InfoPlus Backup Service

- Off-site backup of your PBX's configuration
- Available at any time for restoration through the internet

Please contact your telecommunications vendor for additional information about these services.

Table of Contents

| | |
|--|-----------|
| 1. General System Information | 7 |
| Element Manager Access | 7 |
| 2. Hardware Inventory | 9 |
| BCM Base Unit | 9 |
| Media Bay Modules | 9 |
| Stations | 10 |
| 3. Software Inventory | 11 |
| Licensing | 17 |
| 4. Resource Management | 20 |
| 5. Telephony Programming Summary | 21 |
| General Telephony Settings | 21 |
| Dialing Plan | 21 |
| IP Telephony | 21 |
| Active DNSs | 22 |
| Active Trunk Lines | 23 |
| Disabled Trunk Lines | 24 |
| Spare Trunk Lines | 24 |
| Target Lines | 24 |
| Line Pools | 30 |
| Enabled Loops | 31 |
| Call Routing | 31 |
| Direct Inward System Access (DISA) | 31 |
| Call Detail Recording (CDR) | 31 |
| Voice Mail (CallPilot) | 32 |
| 6. Networking Programming Summary | 33 |
| Network Interfaces | 33 |
| Dial-Up Access | 34 |
| DHCP | 34 |
| DNS | 34 |
| IP Routing | 35 |
| SNMP | 35 |
| Quality of Service Monitor (QoS) | 35 |
| Network Address Translation (NAT) and Filters (Firewall) | 35 |
| Virtual Private Network (VPN) | 35 |
| Web Cache Proxy | 36 |
| 7. Alarm Monitoring Summary | 37 |
| SNMP Service | 37 |

1. General System Information

System Name: ABC Co BCM
BCM Version: 4.0.2.03a
BCM Model: BCM400
System Identifier: 123456ABCDE

Element Manager Access

PPP Modem Number: 1
PPP Login ID:
PPP Password:
IP Address:
User Name:
Password:

Defined Users

| User Name | Description | Group | Last Logged In |
|------------|-------------|---|----------------|
| Vendor | Vendor | Administrator | 08/17/2008 |
| ee_admin | ee_admin | Administrator BCM Monitor Voice Mail & Contact Center | 11/03/2006 |
| nnadmin | | Administrator | 09/04/2008 |
| nnguest | | Guest Download | Never |
| supervisor | supervisor | Administrator BCM Monitor Voice Mail & Contact Center | 05/18/2007 |
| sysadmin | sysadmin | Administrator | 11/04/2006 |

User Groups

| Group Name | Granted Privilege |
|----------------|---|
| Admin Download | AdminDownload |
| Administrator | Admin AdminDownload Alarm-Viewer Application - BCMMonitor Application - IVR BackupOperator CDRApp CTEApp ContactCenter DataAdmin DiagnosticLogs ExclusiveAccess Guest GuestDownload ISDN - Dialin ISDN - Dialout Modem - Dialout Network - IPSEC Operational-Logs PPPLLogin PPPOE - Dialout RemoteAccess RemoteMonitoring SBA - IP Set Registration SBA-Basic SBAInstaller SBASystemCoord SBASystemCoordBasic Security SoftwareUpgrade System - Serial Port VoiceAdmin VoiceMail-Admin WAN - Dialin WAN - Dialout |

| Group Name | Granted Privilege |
|--------------------------------|--|
| BCM Monitor | Application - BCMMonitor |
| Backup Operators | BackupOperator |
| CDR Application | CDRApp |
| CTE Application | CTEApp |
| Contact Center | ContactCenter |
| Data Administrator | DataAdmin |
| Guest Download | GuestDownload |
| Guests | Guest |
| IPSec User | Network - IPSEC |
| Power Users | AlarmViewer DataAdmin SBA - IP Set Registration VoiceAdmin VoiceMailAdmin |
| Remote Access | ISDN - Dialin ISDN - Dialout Mo- dem - Dialout PPPLogin PPPOE - Dialout RemoteAccess WAN - Dialin WAN - Dialout |
| Remote Monitoring | OperationalLogs RemoteMonitor- ing |
| SBA - Basic | SBABasic |
| SBA - Coordinator | SBASystemCoordBasic |
| SBA - Coordinator+ | SBASystemCoord |
| SBA - Installer | SBA - IP Set Registration SBAIn- staller |
| Security | AdminDownload DiagnosticLogs OperationalLogs Security |
| Software Upgrade | SoftwareUpgrade |
| Voice Administrator | AlarmViewer SBA - IP Set Regis- tration VoiceAdmin VoiceMailAd- min |
| Voice Mail & Contact Center | VoiceMailAdmin |

2. Hardware Inventory

BCM Base Unit

PCI Cards

| Slot | Card Type | Model | Field Replaceable |
|------|--------------|--|-------------------|
| 1 | MSC | Media Services Card | Y |
| 2 | Network Card | Intel Corp. 82801E Ethernet Controller 0 | Y |
| 3 | Network Card | Intel Corp. 82801E Ethernet Controller 1 | Y |
| 4 | Empty | None | |
| 5 | Empty | None | |

Media Services Card (MSC)

Version: 3

Serial Number: 36442565

Installed Processor Expansion Cards (PECs)

| Slot | PEC Type | DSP 1 Status | DSP 2 Status |
|------|------------|--------------|--------------|
| 1 | MS PEC III | Enabled | Enabled |
| 2 | Empty | | |
| 3 | MS PEC III | Enabled | Enabled |
| 4 | Empty | | |

PC Hardware

Physical Memory: 248 MB

Drives

| Device Path | Drive Size | Model |
|-------------|------------|----------------|
| /dev/hda | 19.94 GB | Maxtor 2F020L0 |

Media Bay Modules

| Port Type | Module(s) | Used Ports | Spare Ports | Disabled Ports |
|-----------------|---------------------------------------|------------|-------------|----------------|
| Analog Station | ASM8, ASM8+, GASM8 | 8 | 0 | 0 |
| Digital Trunk | DTM/DTM-PRI/DDIM | 23 | 0 | 0 |
| Digital Station | DSM 16/32, DSM 16+/32+, 4x16, 8x16 | 28 | 4 | 0 |

The BCM does not report which Media Bay Modules are installed; the Modules column lists which module types can supply each port type.

Due to limitations in the BCM's reporting, Media Bay Modules which have no Used ports may not be reported as Spare.

See Section 4, "Resource Management" for a more detailed view.

Stations

| Total # | Set Type |
|-------------------------------|-----------------|
| 8 | Analog |
| 3 | T7100/M7100 |
| 25 | T7316E |
| Installed Stations: 36 | |

3. Software Inventory

Software Applications

| Application Name | Version |
|---------------------------------|--------------------|
| BCM.R400.032-PSM | 1.0-1.0 |
| BCM.R400.033-SMG | 1.0-1.3 |
| BCM.R400.034-IPTEL | 1.1-1.0 |
| BCM.R400.035-CTI | 1.1-1.2 |
| BCM.R400.036-ElementManager | 1.1-1.0 |
| BCM.R400.037-RCC | 1.0-1.1 |
| BCM.R400.039-IVR | 1.1-1.0 |
| BCM.R400.044-VOICEMAIL | 1.0-1.0 |
| BCM.R400.046-SoftwareManagement | 1.0-1.1 |
| BCM.R400.051-PCM | 1.0-1.1 |
| BCM.R400.061-OAM | 1.3-1.2 |
| BCM.R400.063-CTI | 1.2-1.0 |
| BCM.R400.064-LANDriver | 1.0-1.0 |
| BCM.R400.066-CDR | 1.3-1.1 |
| BCM.R400.067-RCC | 1.3-1.0 |
| BCM.R400.069-IVR | 1.3-1.3 |
| BCM.R400.076-InventoryProvider | 1.0-1.0 |
| BCM.R400.078-CTE | 1.0-1.0 |
| BCM.R400.080-SCD | 1.0-1.0 |
| BCM.R400.081-CORE | 1.4-1.0 |
| BCM.R400.082-MSD | 1.0-1.1 |
| BCM.R400.083-QOS | 1.1-1.1 |
| BCM.R400.127-CDR | 1.6-1.0 |
| BCM.R400.144-OPENWBEM | 1.0-1.0 |
| BCM.R400.158-CORE | 3.2-1.0 |
| BCM.R400.159-VOICEMAIL | 1.8-1.0 |
| BCM.R400.160-SoftwareManagement | 1.2-1.1 |
| BCM.R400.161-CDR | 1.8-1.0 |
| BCM.R400.SU.Desktop.005-200801 | 1.0-1.0 |
| BCM.R400.SU.System.007-200801 | 1.0-1.0 |
| BCM040.025-CTE-CTI | 1.0-1.0 |
| BCM_DNSProvider | 41.10.140.72-2.03a |
| BCM_DOORPHONE | 41.2.4.127-2.61 |
| BCM_DataComponentsProvider | 41.10.56.149-2.58 |
| BCM_IPMusicProvider | 41.40.13.42-2.03a |
| BCM_MONITOR | 42.2.4.27-2.09 |
| BCM_NetLinkMgrProvider | 47.30.190.66-2.03a |
| BCM_PSMProvider | 41.20.160.11-2.03a |
| BCM_RAIDProvider | 41.10.01.100-2.03a |

| Application Name | Version |
|-------------------------------|--------------------|
| BCM_WANProvider | 41.10.200.75-2.03a |
| BCM_WebCacheProvider | 41.10.150.73-2.03a |
| CCRSAppServer | 41.2.07.16-2.59 |
| EMCoreUploadProvider | 41.20.00.65-2.03a |
| MMCC | 41.2.06.28-2.59 |
| MyPhone | 41.01.10.22-2.03a |
| apache | 2.0.53-2.03a |
| apcupsd | 3.14.01-2.53 |
| backup-recovery | 41.2.25.10-2.67 |
| backup-restore-provider | 41.2.23.91-2.53 |
| bash | 2.05b-10.wk12 |
| bcmEMcartridge | BCM200.2.76-0 |
| bcm_mingetty | 1.07-2.03a |
| bcm_modemdrivers | 41.10.21.131-2.03a |
| bcm_rppppoe | 41.10.21.130-2.03a |
| bdflush | 1.5-10.wk12 |
| bind | 9.4.1-P1 |
| binutils | 2.14-10.wk12 |
| btrace | 42.1.57.6-2.75 |
| callpilot-provider | 41.10.24.09-2.67 |
| callpilotdesktopmessaging | 4.04.04.37-2.67 |
| callpilotdesktopmessagingijsg | 4.04.04.37-2.67 |
| cdr | 41.11.08.10-2.78 |
| cdr-client | 41.11.08.10-2.78 |
| cdr-provider | 41.11.08.10-2.78 |
| cfs | 41.10.24.19-2.67 |
| chkconfig | 1.3.6-10.wk12 |
| common-libs | 1.23.0-2.03a |
| core-telephony | 41.02.18.8-2.77 |
| core-telephony-provider | 41.00.31.96-2.76 |
| coreutils | 5.2.1-2.03a |
| cpio | 2.5-2.03a |
| cracklib | 2.7-10.wk12 |
| crontabs | 1.10-10.wk12 |
| cte | 7.11.05A-2.35 |
| cteapps-obt | 41.00.07.98-2.67 |
| cti | 41.31.00.1-2.72 |
| da-pro | 40.1.1.42-2.64 |
| da-pro-ae | 40.1.1.42-2.64 |
| dataservices | 41.0.440.70-2.66 |
| db | 4.1.25-10.wk12 |
| dcm-provider | 1.26.0-2.03a |
| desktopassistant | 1.20.0-2.03a |
| dev | 1.0-10.wk12 |

| Application Name | Version |
|------------------------------|--------------------------|
| dhcp | 3.0.1-2.03a |
| dhcp-provider | 41.80.90.84-2.03a |
| dialogger | 41.20.04.15-2.77 |
| diffutils | 2.8.1-10.wk12 |
| digitalmobility-oam | 41.1.3.5.60.111-2.41 |
| digitalmobility-phonebook | 41.0.0.02-2.03a |
| digitalmobility-service-tool | 41.0.0.02-2.03a |
| documentation | 41.0.40.7-2.03a |
| documentation-cdnfrancais | 41.0.40.7-2.03a |
| documentation-dansk | 41.0.40.7-2.03a |
| documentation-deutsch | 41.0.40.7-2.03a |
| documentation-english | 41.0.40.7-2.03a |
| documentation-espanol | 41.0.40.7-2.03a |
| documentation-francais | 41.0.40.7-2.03a |
| documentation-italiano | 41.0.40.7-2.03a |
| documentation-laespanol | 41.0.40.7-2.03a |
| documentation-nederlands | 41.0.40.7-2.03a |
| documentation-norsk | 41.0.40.7-2.03a |
| documentation-portugues | 41.0.40.7-2.03a |
| documentation-svenska | 41.0.40.7-2.03a |
| dos2unix | 1.0.0-2.03a |
| dsp-firmware | 37.70.120.9-2.72 |
| e2fsprogs | 1.28-10.wk12 |
| element-manager | 41.30.32.153-2.67 |
| ems | 40.02.101.26-2.09 |
| emsapi | 40.1.25.52-2.03a |
| ethtool | 1.6-10.wk12 |
| fault-dispatcher | 41.11.4.74-2.03a |
| feps | 41.530.0.33-2.68 |
| file-transfer | 1.20.0-2.03a |
| filesystem | 2.1.6-10.wk12 |
| fileutils | 4.1-10.wk12 |
| findutils | 4.1-10.wk12 |
| fump-translator | 1.20.0-2.03a |
| gap | 42.1.58.6-2.76 |
| gawk | 3.1.3-2.03a |
| gcc | 3.3.1-10.wk12 |
| gdbm | 1.8.3-10.wk12 |
| glib | 2.4.0-10.wk12 |
| glibc | 2.3.2-80.10.12.1.0_2007f |
| grep | 2.5-10.wk12 |
| grub | 0.92_cvs20020923-10.wk12 |
| gzip | 1.2.4-10.wk12 |
| host-provider | 41.10.00.80-2.03a |

| Application Name | Version |
|--------------------|---------------------|
| huntgroups-metrics | 1.20.0-2.03a |
| i2050qosservice | 1.20.0-2.03a |
| i2050softwarephone | 385-2.03a |
| inetutils | 1.4.2-10.wk12 |
| initscripts | 6.95-10.wk12 |
| inventory-provider | 41.20.01.115-2.34 |
| ipmusic | 41.60.16.42-2.03a |
| iproute | 2.4.7-10.wk12 |
| ipsecprovider | 41.0.29.71-2.47 |
| ipsetfirmware | 2.03.0-2.03a |
| iptables | 1.2.8-10.wk12 |
| iptelephony | 41.50.31.63-2.03a |
| iptelprovideragent | 41.140.3.43-2.68 |
| iputils | 20020927-10.wk12 |
| ipview | 41.2.3.0.0.62-2.72 |
| isdn | 41.10.300.116-2.58 |
| ivrprovider | 41.00.2044.113-2.47 |
| jbsm | 41.30.31.56-2.03a |
| kernel-modules | 2.4.22-10.wk12.1 |
| ksymlinks | 2.4.9-10.wk12 |
| lan-cte-client | 7.11.07.10-2.67 |
| lan-cte-provider | 7.11.05A-2.35 |
| lan-provider | 41.10.50.82-2.29 |
| libcap | 2.0-10.wk12 |
| libpcap | 0.6.2-10.wk12 |
| libtermcap | 2.0.9-10.wk12 |
| libxml2 | 2.6.4-10.wk12 |
| license-provider | 41.1.3.19-2.03a |
| lkcdutils | 4.1-10.wk12 |
| lms | 1.23.0-2.03a |
| log-provider | 41.08.140.06-2.03a |
| logapi | 1.0-10.wk12 |
| logrotate | 3.6.5-10.wk12 |
| lsof | 4.71-10.wk12 |
| ltt | 9.5-10.wk12 |
| mercury | 2.0-10.wk12 |
| mfgreleaseinfo | 41.10.28.133-2.03a |
| mgetty | 41.10.21.129-2.03a |
| mgs | 41.70.1.3-2.68 |
| mgspdr | 41.40.28.57-2.03a |
| mib2-provider | 1.26.0-2.03a |
| misc | 1.0-10.wk12 |
| mktemp | 1.5-10.wk12 |
| mm | 1.3.0-10.wk12 |

| Application Name | Version |
|-----------------------|---------------------|
| modutils | 2.4.22-10.wk12 |
| mof-db | 2.76-2.76 |
| monit | 4.4-2.03a |
| monitguard | 1.24.0-2.03a |
| mono | 1.2.15-2.03a |
| mps | 41.40.31.34-2.03a |
| mpsmi | 41.40.29.35-2.03a |
| mscdriverservice | 41.30.02.20-2.53 |
| msm-provider | 41.10.00.89-2.03a |
| mtt | 41.10.35.37-2.66 |
| ncgl-coreutils | 5.2.1-10.wk12 |
| ncgl-gawk | 3.1.1-10.wk12 |
| ncompress | 4.2.4-10.wk12 |
| ncurses | 5.3-10.wk12 |
| net-tools | 1.60-10.wk12 |
| netlinkmgr | 41.20.190.66-2.03a |
| nexthop | 41.10.180.68-2.03a |
| nfs-utils | 1.0.1-10.wk12 |
| nnu | 41.20.01.15-2.03a |
| nnu-pdrd | 41.20.01.15-2.03a |
| nnu-remote | 41.20.01.15-2.03a |
| ntp | 41.0.4.25-2.48a |
| ntpd | 4.2.0-2.03a |
| openssh | 4.4p1-80.10.07.1.0 |
| openssl | 0.9.7l-80.10.07.1.0 |
| openwbem | 41.1.31.135-2.71 |
| osa | 41.1.38.40-2.03a |
| pam | 0.75-10.wk12 |
| parted | 1.6.6-10.wk12 |
| pcre | 3.9-10.wk12 |
| perfmon | 41.10.01.79-2.03a |
| peribase | 41.0.27.2-2.43 |
| peribim | 41.0.27.2-2.43 |
| perifw | 41.0.26.2-2.03a |
| periglobl | 41.0.28.2-2.43 |
| perihostp | 41.0.26.2-2.03a |
| perimps | 41.0.26.2-2.03a |
| peripdp | 41.0.26.2-2.03a |
| periplic | 41.0.26.2-2.03a |
| personal-call-manager | 1.3.0.1-2.23 |
| platform-utilities | 1.26.0-2.03a |
| popt | 1.6.4-10.wk12 |
| portmap | 4.0-10.wk12 |
| postgres | 8.0.7-2.03a |

| Application Name | Version |
|------------------------------|---------------------|
| ppp | 2.4.2-2.03a |
| pppoe | 41.10.240.107-2.03a |
| procps | 3.1.9-10.wk12 |
| provider-tester | 0.22-2.03a |
| provider-utilities | 1.26.0-2.03a |
| psm | 41.20.202.11-2.08 |
| psmisc | 21.2-10.wk12 |
| putty | 2.04.0-2.03a |
| qos-monitor | 41.0.0.165-2.38 |
| ras | 41.10.321.106-2.03a |
| rcc | 2.4.357-2.46 |
| rcs | 5.7-2.03a |
| readline | 4.3-10.wk12 |
| rpm | 4.1-2.03a |
| rsync | 2.6.4-2.03a |
| sba | 41.20.40.137-2.03a |
| scd | 41.35.0.50-2.58 |
| security-provider | 42.1.42.6-2.76 |
| sed | 4.0.3-10.wk12 |
| serialcli | 41.08.140.6-2.03a |
| setup | 2.5.20-10.wk12 |
| sh-utils | 2.0.13-10.wk12 |
| shadow-utils | 20000902-10.wk12 |
| smbclient | 3.0.5-2.03a |
| snmp-agent | 41.60.1.118-2.03a |
| snmp-provider | 41.1.32.97-2.03a |
| software-management | 41.20.003.158-2.78 |
| software-management-provider | 41.2.27-2.03a |
| srg | 41.57.31.51-2.03a |
| startup-profile | 41.20.07.117-2.76 |
| strace | 4.5-10.wk12 |
| sysklogd | 1.4.1-10.wk12 |
| system-provider | 41.26.2.14-2.03a |
| system-release | 4.0.2.03a-2.03a |
| sysvinit | 2.84-10.wk12 |
| tar | 1.14-10.wk12 |
| tcp_wrappers | 7.6-10.wk12 |
| tcpdump | 3.6.3-10.wk12 |
| tcsd | 6.12-10.wk12 |
| textutils | 2.1-10.wk12 |
| timeservice-provider | 41.10.01.77-2.03a |
| timezonesetting-provider | 41.0.1.0-2.03a |
| traceroute | 1.4a12-10.wk12 |
| ups-provider | 41.10.10.87-2.03a |

| Application Name | Version |
|------------------------|---------------------|
| ut1 | 41.10.230.116-2.03a |
| util-linux | 2.11z-10.wk12 |
| utilities | 1.0-10.wk12 |
| utps | 41.280.0.12-2.60 |
| vim | 6.2-10.wk12 |
| vixie-cron | 3.0.1-10.wk12 |
| voicemail | 41.02.55.22-2.78 |
| voicemail-arabic | 41.02.01.22-2.03a |
| voicemail-auenglish | 41.02.01.22-2.03a |
| voicemail-brportuguese | 41.02.01.22-2.03a |
| voicemail-cantonese | 41.02.01.22-2.03a |
| voicemail-cdfrench | 41.02.01.22-2.03a |
| voicemail-czech | 41.02.01.22-2.03a |
| voicemail-danishbcm | 41.02.01.22-2.03a |
| voicemail-dutch | 41.02.01.22-2.03a |
| voicemail-eufrench | 41.02.01.22-2.03a |
| voicemail-euspanish | 41.02.01.22-2.03a |
| voicemail-finnish | 41.02.01.22-2.03a |
| voicemail-german | 41.02.01.22-2.03a |
| voicemail-hebrew | 41.02.01.22-2.03a |
| voicemail-iseng | 41.02.01.22-2.03a |
| voicemail-italian | 41.02.01.22-2.03a |
| voicemail-korean | 41.02.01.22-2.03a |
| voicemail-naenglish | 41.02.01.22-2.03a |
| voicemail-naspanish | 41.02.01.22-2.03a |
| voicemail-norwegian | 41.02.01.22-2.03a |
| voicemail-polish | 41.02.01.22-2.03a |
| voicemail-prcmandarin | 41.02.01.22-2.03a |
| voicemail-russian | 41.02.01.22-2.03a |
| voicemail-swedish | 41.02.01.22-2.03a |
| voicemail-tamandarin | 41.02.01.22-2.03a |
| voicemail-turkish | 41.02.06.23-2.47a |
| voicemail-ukenglish | 41.02.01.22-2.03a |
| web-provider | 1-2.03a |
| webpage | 41.10.66.115-2.03a |
| wget | 1.8.2-10.wk12 |
| which | 2.14-10.wk12 |
| xinetd | 2.3.11-10.wk12 |
| zlib | 1.1.4-10.wk12 |

Licensing

System ID: 123456ABCDE

Keycode: 123456789123456789123456

Sequence Number: 8**Licensed Features**

| Feature Name | License Status | Data | Expiration |
|---------------------|-----------------------|-------------|-------------------|
| IP Client seat | Active | 1 | None |
| MCDN | Active | 1 | None |
| Q.SIG | Active | 1 | None |
| UM seat | Active | 20 | None |
| Upgrade | Active | 103 | None |
| VM seat | Active | 20 | None |
| BT RACE | Idle | 0 | None |
| CTE APP Ports | Idle | 0 | None |
| DECT | Idle | 0 | None |
| DPNSS | Idle | 0 | None |
| DPNSS Try-Buy | Idle | 0 | None |
| Fax Messaging | Idle | 0 | None |
| Fax Overflow | Idle | 0 | None |
| Fax Suite | Idle | 0 | None |
| Fax Suite Try-Buy | Idle | 0 | None |
| Fax on Demand | Idle | 0 | None |
| ICC | Idle | 0 | None |
| ICC Agents | Idle | 0 | None |
| ICC Reporting | Idle | 0 | None |
| ICC Skillset | Idle | 0 | None |
| IP Client Try-Buy | Idle | 0 | None |
| IPSec | Idle | 0 | None |
| IVR Ports | Idle | 0 | None |
| LAN CTE Try-Buy | Idle | 0 | None |
| LANCTE Seat | Idle | 0 | None |
| MCDN Try-Buy | Idle | 0 | None |
| MMedia ICC | Idle | 0 | None |
| NCM Config | Idle | 0 | None |
| NCM T&B Config | Idle | 0 | None |
| NCM T&B Router | Idle | 0 | None |
| PPPoE | Idle | 0 | None |
| Q.SIG Try-Buy | Idle | 0 | None |
| Retail Suite | Idle | 0 | None |
| SIP GW Trunk | Idle | 0 | None |
| SRG | Idle | 0 | None |
| SRG IP Client | Idle | 0 | None |
| TSP Seats | Idle | 0 | None |
| TSP Seats Try-Buy | Idle | 0 | None |
| UM Try-Buy | Idle | 0 | None |
| VM Try-Buy | Idle | 0 | None |
| VPIM/AMIS | Idle | 0 | None |

| Feature Name | License Status | Data | Expiration |
|---------------------------|-----------------------|-------------|-------------------|
| VPIM/AMIS Try-Buy | Idle | 0 | None |
| VoIP GW Trunk | Idle | 0 | None |
| VoIP GW Try-Buy | Idle | 0 | None |
| Total Licenses: 44 | | | |


4. Resource Management

Application Resource Reservations

| Application | Minimum | Maximum | License Limit | Hardware Limit |
|-----------------|---------|---------|---------------|----------------|
| CTE Ports | 0 | 0 | 0 | 32 |
| Fax | 0 | 0 | 0 | 4 |
| IP Clients | 0 | 1 | 1 | 58 |
| IP Trunks | 0 | 0 | 0 | 60 |
| IVR Ports | 0 | 0 | 0 | 24 |
| Media Gateways | 4 | 59 | N/A | 59 |
| Voice Mail + CC | 2 | 6 | N/A | 32 |
| WAN | 0 | 0 | N/A | 28 |

Media Bay Module Map

DS30 Channel Split: 2/6 Split



Due to limitations in the BCM's reporting, Media Bay Modules which have no Used ports may not be reported as Spare.

5. Telephony Programming Summary

General Telephony Settings

Telephony Region: North America
Telephony Template: Square
Business Name: Not Entered

Dialing Plan

General

DN Length: 4
Startup DN: Unspecified
Startup Region: Unknown

Private Network

Type: None
Location Code: None
Private DN Length: 4
Auto DN: None
DISA DN: None

Access Codes

Park Prefix: 1
External Code: 15
Direct Dial Digit: 0
Auto DN: None
DISA DN: None
Private Access Code: None

IP Telephony

Preferred Codec: Automatic
Media Gateway Echo Cancellation: Enabled
G.723.1 Data Rate: 5.3 kbps
Jitter Buffer Size: Automatic
Set Registration Allowed: Disabled
Use Global Registration Password: Disabled
Auto Assign DNs: Disabled
Advertisement Logo: Nortel Networks

IP Terminals

| DN | IP Address | Set Type | Firmware Version | Codec | Status |
|------------------------------|------------|----------|------------------|-------|--------|
| There are no IP Terminals. | | | | | |
| Total IP Terminals: 0 | | | | | |

Active DNs

Total Active DNs: 43

Active Set DNs

| DN | Port | Set Type | Name | Prime Line | Allow Redirect | Line Pool Access |
|---|------|-------------|-----------|------------|----------------|------------------|
| 2069 | 0405 | Analog | 2069 | I/C | N | A |
| 2070 | 0406 | Analog | 2070 | I/C | N | A |
| 2071 | 0407 | Analog | 2071 | I/C | N | A |
| 2072 | 0408 | Analog | 2072 | I/C | N | A |
| 7900 | 0201 | T7316E | 7900 | I/C | Y | BlocA |
| 7901 | 0202 | T7316E | 7901 | I/C | Y | BlocA |
| 7902 | 0203 | T7316E | Christian | I/C | Y | BlocA |
| 7903 | 0204 | T7316E | Murray | I/C | Y | BlocA |
| 7904 | 0205 | T7100/M7100 | 7904 | I/C | N | A, BlocA |
| 7905 | 0206 | T7316E | 7905 | I/C | Y | BlocA |
| 7906 | 0207 | T7316E | Martha | I/C | Y | BlocA |
| 7907 | 0208 | T7316E | Heather | I/C | Y | BlocA |
| 7908 | 0209 | T7316E | Harriet | I/C | Y | BlocA |
| 7909 | 0210 | T7316E | Lawyer | I/C | Y | BlocA |
| 7910 | 0211 | T7316E | 7910 | I/C | Y | BlocA |
| 7912 | 0213 | T7316E | Marco | I/C | Y | BlocA |
| 7913 | 0214 | T7316E | Cafeteria | I/C | Y | BlocA |
| 7914 | 0401 | Analog | 7914 | I/C | N | A, BlocA |
| 7915 | 0216 | T7100/M7100 | 7915 | I/C | N | BlocA |
| 7933 | 0217 | T7316E | 7933 | I/C | Y | BlocA |
| 7934 | 0218 | T7316E | Georgie | I/C | Y | BlocA |
| 7935 | 0219 | T7316E | 7935 | I/C | Y | BlocA |
| 7936 | 0225 | T7316E | Michelle | I/C | Y | BlocA |
| 7937 | 0224 | T7316E | 7937 | I/C | Y | BlocA |
| 7943 | 0220 | T7100/M7100 | 7943 | I/C | N | BlocA |
| 7944 | 0221 | T7316E | Ted | I/C | Y | BlocA |
| 7945 | 0222 | T7316E | Daria | I/C | Y | BlocA |
| 7946 | 0223 | T7316E | 7946 | I/C | Y | BlocA |
| 7955 | 0226 | T7316E | 7955 | I/C | Y | BlocA |
| 7960 | 0228 | T7316E | Darren | I/C | Y | BlocA |
| 7961 | 0229 | T7316E | 7961 | I/C | N | BlocA |
| 7962 | 0230 | T7316E | 7962 | I/C | N | BlocA |
| 7990 | 0231 | T7316E | 7990 | I/C | N | BlocA |
| 7995 | 0404 | Analog | 7995 | I/C | N | A, BlocA |
| 7998 | 0403 | Analog | 7998 | I/C | N | A, BlocA |
| 7999 | 0402 | Analog | 7999 | I/C | N | A, BlocA |
| Total Number of Active Set DNs: 36 | | | | | | |

Active Application DNs

| DN | Port | Set Type | Name | Prime Line | Allow Redirect | Line Pool Access |
|--|------|-------------|------|------------|----------------|------------------|
| 2214 | 0126 | Application | 2214 | I/C | N | A |
| 2215 | 0125 | Application | 2215 | I/C | N | A |
| 2216 | 0124 | Application | 2216 | I/C | N | A |
| 2217 | 0123 | Application | 2217 | I/C | N | A |
| 2218 | 0122 | Application | 2218 | I/C | N | A |
| 2220 | 0117 | T7316/M7310 | 2220 | I/C | N | A |
| 7979 | 0121 | Application | 7979 | I/C | N | BlocA |
| Total Number of Active Application DNs: 7 | | | | | | |

Active Hunt Group DNs

| DN | Port | Set Type | Name | Prime Line | Allow Redirect | Line Pool Access |
|---|------|----------|------|------------|----------------|------------------|
| There are no Active Hunt Group DNs | | | | | | |
| Total Number of Active Hunt Group DNs: 0 | | | | | | |

Active Miscellaneous DNs

| DN | Port | Set Type | Name | Prime Line | Allow Redirect | Line Pool Access |
|--|------|----------|------|------------|----------------|------------------|
| There are no Active Miscellaneous DNs | | | | | | |
| Total Number of Active Miscellaneous DNs: 0 | | | | | | |

Active Trunk Lines

An Active Trunk Line is a line which is associated with a currently functioning Media Bay Module, and has not been otherwise disabled. If you have VoIP Trunk Lines in service, those will appear as well.

| Line # | Name | Trunk Type | Trunk Mode | Line Type | Control Set | Prime Set | Provided by Bus |
|--------|---------|------------|--------------|------------|-------------|-----------|-----------------|
| 61 | Line061 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 62 | Line062 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 63 | Line063 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 64 | Line064 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 65 | Line065 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 66 | Line066 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 67 | Line067 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 68 | Line068 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 69 | Line069 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 70 | Line070 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 71 | Line071 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 72 | Line072 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 73 | Line073 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 74 | Line074 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 75 | Line075 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 76 | Line076 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |

| Line # | Name | Trunk Type | Trunk Mode | Line Type | Control Set | Prime Set | Provided by Bus |
|-------------------------------------|---------|------------|--------------|------------|-------------|-----------|-----------------|
| 77 | Line077 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 78 | Line078 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 79 | Line079 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 80 | Line080 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 81 | Line081 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 82 | Line082 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| 83 | Line083 | PRI | Unsupervised | Pool BlocA | 7900 | 7900 | 7 |
| Total Active Trunk Lines: 23 | | | | | | | |

Disabled Trunk Lines

A Disabled Trunk Line is a line which is associated with a Media Bay Module that has been disabled or isn't functioning, or a Line which was disabled by the Administrator.

| Line # | Name | Trunk Type | Trunk Mode | Line Type | Control Set | Prime Set | Provided by Bus |
|--|------|------------|------------|-----------|-------------|-----------|-----------------|
| There were no Disabled Trunk Lines detected. | | | | | | | |
| Total Disabled Trunk Lines: 0 | | | | | | | |

Spare Trunk Lines

A Spare Trunk Line is a line which has not been configured and is available for use.

| Line # | Name | Trunk Type | Trunk Mode | Line Type | Control Set | Prime Set | Provided by Bus |
|---|------|------------|------------|-----------|-------------|-----------|-----------------|
| There were no Spare Trunk Lines detected. | | | | | | | |
| Total Spare Trunk Lines: 0 | | | | | | | |

Target Lines

Target Lines are virtual lines that connect incoming Trunk Lines to Sets. Target Lines are used with Analog, Digital, and VoIP Trunk Lines to direct incoming traffic to specified DN's.

| Line # | Name | Trunk Type | Trunk Mode | Line Type | Control Set | Prime Set |
|--------|---------|-------------|--------------|-----------|-------------|-----------|
| 241 | Line241 | Target line | Unsupervised | Public | 7900 | 7900 |
| 242 | Line242 | Target line | Unsupervised | Public | 7900 | 7900 |
| 243 | Line243 | Target line | Unsupervised | Public | 7900 | 7900 |
| 244 | Line244 | Target line | Unsupervised | Public | 7900 | 7900 |
| 245 | Line245 | Target line | Unsupervised | Public | 7900 | 7900 |
| 246 | Line246 | Target line | Unsupervised | Public | 7900 | 7900 |
| 247 | Line247 | Target line | Unsupervised | Public | 7900 | 7900 |
| 248 | Line248 | Target line | Unsupervised | Public | 7900 | 7900 |
| 249 | Line249 | Target line | Unsupervised | Public | 7900 | 7900 |
| 250 | Line250 | Target line | Unsupervised | Public | 7900 | 7900 |
| 251 | Line251 | Target line | Unsupervised | Public | 7900 | 7900 |

| Line # | Name | Trunk Type | Trunk Mode | Line Type | Control Set | Prime Set |
|---------------|-------------|-------------------|-------------------|------------------|--------------------|------------------|
| 252 | Line252 | Target line | Unsupervised | Public | 7900 | 7900 |
| 253 | Line253 | Target line | Unsupervised | Public | 7900 | 7900 |
| 254 | Line254 | Target line | Unsupervised | Public | 7900 | 7900 |
| 255 | Line255 | Target line | Unsupervised | Public | 7900 | 7900 |
| 256 | Line256 | Target line | Unsupervised | Public | 7900 | 7900 |
| 257 | Line257 | Target line | Unsupervised | Public | 7900 | 7900 |
| 258 | Line258 | Target line | Unsupervised | Public | 7900 | 7900 |
| 259 | Line259 | Target line | Unsupervised | Public | 7900 | 7900 |
| 260 | Line260 | Target line | Unsupervised | Public | 7900 | 7900 |
| 261 | Line261 | Target line | Unsupervised | Public | 7900 | 7900 |
| 262 | Line262 | Target line | Unsupervised | Public | 7900 | 7900 |
| 263 | Line263 | Target line | Unsupervised | Public | 7900 | 7900 |
| 264 | Line264 | Target line | Unsupervised | Public | 7900 | 7900 |
| 265 | Line265 | Target line | Unsupervised | Public | 7900 | 7900 |
| 266 | Line266 | Target line | Unsupervised | Public | 7900 | 7900 |
| 267 | Line267 | Target line | Unsupervised | Public | 7900 | 7900 |
| 268 | Line268 | Target line | Unsupervised | Public | 7900 | 7900 |
| 269 | Line269 | Target line | Unsupervised | Public | 7900 | 7900 |
| 270 | Line270 | Target line | Unsupervised | Public | 7900 | 7900 |
| 271 | Line271 | Target line | Unsupervised | Public | 7900 | 7900 |
| 272 | Line272 | Target line | Unsupervised | Public | 7900 | 7900 |
| 273 | Line273 | Target line | Unsupervised | Public | 7900 | 7900 |
| 274 | Line274 | Target line | Unsupervised | Public | 7900 | 7900 |
| 275 | Line275 | Target line | Unsupervised | Public | 7900 | 7900 |
| 276 | Line276 | Target line | Unsupervised | Public | 7900 | 7900 |
| 277 | Line277 | Target line | Unsupervised | Public | 7900 | 7900 |
| 278 | Line278 | Target line | Unsupervised | Public | 7900 | 7900 |
| 279 | Line279 | Target line | Unsupervised | Public | 7900 | 7900 |
| 280 | Line280 | Target line | Unsupervised | Public | 7900 | 7900 |
| 281 | Line281 | Target line | Unsupervised | Public | 7900 | 7900 |
| 282 | Line282 | Target line | Unsupervised | Public | 7900 | 7900 |
| 283 | Line283 | Target line | Unsupervised | Public | 7900 | 7900 |
| 284 | Line284 | Target line | Unsupervised | Public | 7900 | 7900 |
| 285 | Line285 | Target line | Unsupervised | Public | 7900 | 7900 |
| 286 | Line286 | Target line | Unsupervised | Public | 7900 | 7900 |
| 287 | Line287 | Target line | Unsupervised | Public | 7900 | 7900 |
| 288 | Line288 | Target line | Unsupervised | Public | 7900 | 7900 |
| 289 | Line289 | Target line | Unsupervised | Public | 7900 | 7900 |
| 290 | Line290 | Target line | Unsupervised | Public | 7900 | 7900 |
| 291 | Line291 | Target line | Unsupervised | Public | 7900 | 7900 |
| 292 | Line292 | Target line | Unsupervised | Public | 7900 | 7900 |
| 293 | Line293 | Target line | Unsupervised | Public | 7900 | 7900 |
| 294 | Line294 | Target line | Unsupervised | Public | 7900 | 7900 |

| Line # | Name | Trunk Type | Trunk Mode | Line Type | Control Set | Prime Set |
|--------|---------|-------------|--------------|-----------|-------------|-----------|
| 295 | Line295 | Target line | Unsupervised | Public | 7900 | 7900 |
| 296 | Line296 | Target line | Unsupervised | Public | 7900 | 7900 |
| 297 | Line297 | Target line | Unsupervised | Public | 7900 | 7900 |
| 298 | Line298 | Target line | Unsupervised | Public | 7900 | 7900 |
| 299 | Line299 | Target line | Unsupervised | Public | 7900 | 7900 |
| 300 | Line300 | Target line | Unsupervised | Public | 7900 | 7900 |
| 301 | Line301 | Target line | Unsupervised | Public | 7900 | 7901 |
| 302 | Line302 | Target line | Unsupervised | Public | 7900 | 7902 |
| 303 | Line303 | Target line | Unsupervised | Public | 7900 | 7903 |
| 304 | Line304 | Target line | Unsupervised | Public | 7900 | 7904 |
| 305 | Line305 | Target line | Unsupervised | Public | 7900 | 7905 |
| 306 | Line306 | Target line | Unsupervised | Public | 7900 | 7906 |
| 307 | Line307 | Target line | Unsupervised | Public | 7900 | 7907 |
| 308 | Line308 | Target line | Unsupervised | Public | 7900 | 7900 |
| 309 | Line309 | Target line | Unsupervised | Public | 7900 | 7909 |
| 310 | Line310 | Target line | Unsupervised | Public | 7900 | 7910 |
| 311 | Line311 | Target line | Unsupervised | Public | 7900 | 7911 |
| 312 | Line312 | Target line | Unsupervised | Public | 7900 | 7912 |
| 313 | Line313 | Target line | Unsupervised | Public | 7900 | 7913 |
| 314 | Line314 | Target line | Unsupervised | Public | 7900 | 2065 |
| 315 | Line315 | Target line | Unsupervised | Public | 7900 | 7915 |
| 316 | Line316 | Target line | Unsupervised | Public | 7900 | 7900 |
| 317 | Line317 | Target line | Unsupervised | Public | 7900 | 7900 |
| 318 | Line318 | Target line | Unsupervised | Public | 7900 | 7900 |
| 319 | Line319 | Target line | Unsupervised | Public | 7900 | 7900 |
| 320 | Line320 | Target line | Unsupervised | Public | 7900 | 7900 |
| 321 | Line321 | Target line | Unsupervised | Public | 7900 | 7900 |
| 322 | Line322 | Target line | Unsupervised | Public | 7900 | 7900 |
| 323 | Line323 | Target line | Unsupervised | Public | 7900 | 7900 |
| 324 | Line324 | Target line | Unsupervised | Public | 7900 | 7900 |
| 325 | Line325 | Target line | Unsupervised | Public | 7900 | 7900 |
| 326 | Line326 | Target line | Unsupervised | Public | 7900 | 7900 |
| 327 | Line327 | Target line | Unsupervised | Public | 7900 | 7900 |
| 328 | Line328 | Target line | Unsupervised | Public | 7900 | 7900 |
| 329 | Line329 | Target line | Unsupervised | Public | 7900 | 7900 |
| 330 | Line330 | Target line | Unsupervised | Public | 7900 | 7900 |
| 331 | Line331 | Target line | Unsupervised | Public | 7900 | 7900 |
| 332 | Line332 | Target line | Unsupervised | Public | 7900 | 7900 |
| 333 | Line333 | Target line | Unsupervised | Public | 7900 | 7933 |
| 334 | Line334 | Target line | Unsupervised | Public | 7900 | 7934 |
| 335 | Line335 | Target line | Unsupervised | Public | 7900 | 7935 |
| 336 | Line336 | Target line | Unsupervised | Public | 7900 | 7936 |
| 337 | 7937 | Target line | Unsupervised | Public | 7900 | 7900 |

| Line # | Name | Trunk Type | Trunk Mode | Line Type | Control Set | Prime Set |
|--------|---------|-------------|--------------|-----------|-------------|-----------|
| 338 | Line338 | Target line | Unsupervised | Public | 7900 | 7900 |
| 339 | Line339 | Target line | Unsupervised | Public | 7900 | 7900 |
| 340 | Line340 | Target line | Unsupervised | Public | 7900 | 7900 |
| 341 | Line341 | Target line | Unsupervised | Public | 7900 | 7900 |
| 342 | Line342 | Target line | Unsupervised | Public | 7900 | 7900 |
| 343 | Line343 | Target line | Unsupervised | Public | 7900 | 7943 |
| 344 | Line344 | Target line | Unsupervised | Public | 7900 | 7944 |
| 345 | Line345 | Target line | Unsupervised | Public | 7900 | 7945 |
| 346 | Line346 | Target line | Unsupervised | Public | 7900 | 7946 |
| 347 | Line347 | Target line | Unsupervised | Public | 7900 | 7900 |
| 348 | Line348 | Target line | Unsupervised | Public | 7900 | 7900 |
| 349 | Line349 | Target line | Unsupervised | Public | 7900 | 7900 |
| 350 | Line350 | Target line | Unsupervised | Public | 7900 | 7900 |
| 351 | Line351 | Target line | Unsupervised | Public | 7900 | 7900 |
| 352 | Line352 | Target line | Unsupervised | Public | 7900 | 7900 |
| 353 | Line353 | Target line | Unsupervised | Public | 7900 | 7900 |
| 354 | Line354 | Target line | Unsupervised | Public | 7900 | 7900 |
| 355 | Line355 | Target line | Unsupervised | Public | 7900 | 7900 |
| 356 | Line356 | Target line | Unsupervised | Public | 7900 | 7900 |
| 357 | Line357 | Target line | Unsupervised | Public | 7900 | 7900 |
| 358 | Line358 | Target line | Unsupervised | Public | 7900 | 7900 |
| 359 | Line359 | Target line | Unsupervised | Public | 7900 | 7900 |
| 360 | Line360 | Target line | Unsupervised | Public | 7900 | 7900 |
| 361 | Line361 | Target line | Unsupervised | Public | 7900 | 7900 |
| 362 | Line362 | Target line | Unsupervised | Public | 7900 | 7900 |
| 363 | Line363 | Target line | Unsupervised | Public | 7900 | 7900 |
| 364 | Line364 | Target line | Unsupervised | Public | 7900 | 7900 |
| 365 | Line365 | Target line | Unsupervised | Public | 7900 | 7900 |
| 366 | Line366 | Target line | Unsupervised | Public | 7900 | 7900 |
| 367 | Line367 | Target line | Unsupervised | Public | 7900 | 7900 |
| 368 | Line368 | Target line | Unsupervised | Public | 7900 | 7900 |
| 369 | Line369 | Target line | Unsupervised | Public | 7900 | 7900 |
| 370 | Line370 | Target line | Unsupervised | Public | 7900 | 7900 |
| 371 | Line371 | Target line | Unsupervised | Public | 7900 | 7900 |
| 372 | Line372 | Target line | Unsupervised | Public | 7900 | 7900 |
| 373 | Line373 | Target line | Unsupervised | Public | 7900 | 7900 |
| 374 | Line374 | Target line | Unsupervised | Public | 7900 | 7900 |
| 375 | Line375 | Target line | Unsupervised | Public | 7900 | 7900 |
| 376 | Line376 | Target line | Unsupervised | Public | 7900 | 7900 |
| 377 | Line377 | Target line | Unsupervised | Public | 7900 | 7900 |
| 378 | Line378 | Target line | Unsupervised | Public | 7900 | 7900 |
| 379 | Line379 | Target line | Unsupervised | Public | 7900 | 7979 |
| 380 | Line380 | Target line | Unsupervised | Public | 7900 | 7900 |

| Line # | Name | Trunk Type | Trunk Mode | Line Type | Control Set | Prime Set |
|---------------|-------------|-------------------|-------------------|------------------|--------------------|------------------|
| 381 | Line381 | Target line | Unsupervised | Public | 7900 | 7900 |
| 382 | Line382 | Target line | Unsupervised | Public | 7900 | 7900 |
| 383 | Line383 | Target line | Unsupervised | Public | 7900 | 7900 |
| 384 | Line384 | Target line | Unsupervised | Public | 7900 | 7900 |
| 385 | Line385 | Target line | Unsupervised | Public | 7900 | 7900 |
| 386 | Line386 | Target line | Unsupervised | Public | 7900 | 7900 |
| 387 | Line387 | Target line | Unsupervised | Public | 7900 | 7900 |
| 388 | Line388 | Target line | Unsupervised | Public | 7900 | 7900 |
| 389 | Line389 | Target line | Unsupervised | Public | 7900 | 7900 |
| 390 | Line390 | Target line | Unsupervised | Public | 7900 | 7900 |
| 391 | Line391 | Target line | Unsupervised | Public | 7900 | 7900 |
| 392 | Line392 | Target line | Unsupervised | Public | 7900 | 7900 |
| 393 | Line393 | Target line | Unsupervised | Public | 7900 | 7900 |
| 394 | Line394 | Target line | Unsupervised | Public | 7900 | 7900 |
| 395 | Line395 | Target line | Unsupervised | Public | 7900 | 7900 |
| 396 | Line396 | Target line | Unsupervised | Public | 7900 | 7900 |
| 397 | Line397 | Target line | Unsupervised | Public | 7900 | 7900 |
| 398 | Line398 | Target line | Unsupervised | Public | 7900 | 7900 |
| 399 | Line399 | Target line | Unsupervised | Public | 7900 | 7937 |
| 400 | Line400 | Target line | Unsupervised | Public | 7900 | 7900 |
| 401 | Line401 | Target line | Unsupervised | Public | 7900 | 7900 |
| 402 | Line402 | Target line | Unsupervised | Public | 7900 | 7900 |
| 403 | Line403 | Target line | Unsupervised | Public | 7900 | 7900 |
| 404 | Line404 | Target line | Unsupervised | Public | 7900 | 7900 |
| 405 | Line405 | Target line | Unsupervised | Public | 7900 | 7900 |
| 406 | Line406 | Target line | Unsupervised | Public | 7900 | 7900 |
| 407 | Line407 | Target line | Unsupervised | Public | 7900 | 7900 |
| 408 | Line408 | Target line | Unsupervised | Public | 7900 | 7900 |
| 409 | Line409 | Target line | Unsupervised | Public | 7900 | 7900 |
| 410 | Line410 | Target line | Unsupervised | Public | 7900 | 7900 |
| 411 | Line411 | Target line | Unsupervised | Public | 7900 | 7900 |
| 412 | Line412 | Target line | Unsupervised | Public | 7900 | 7900 |
| 413 | Line413 | Target line | Unsupervised | Public | 7900 | 7900 |
| 414 | Line414 | Target line | Unsupervised | Public | 7900 | 7900 |
| 415 | Line415 | Target line | Unsupervised | Public | 7900 | 7900 |
| 416 | Line416 | Target line | Unsupervised | Public | 7900 | 7900 |
| 417 | Line417 | Target line | Unsupervised | Public | 7900 | 7900 |
| 418 | Line418 | Target line | Unsupervised | Public | 7900 | 7900 |
| 419 | Line419 | Target line | Unsupervised | Public | 7900 | 7900 |
| 420 | Line420 | Target line | Unsupervised | Public | 7900 | 7900 |
| 421 | Line421 | Target line | Unsupervised | Public | 7900 | 7900 |
| 422 | Line422 | Target line | Unsupervised | Public | 7900 | 7900 |
| 423 | Line423 | Target line | Unsupervised | Public | 7900 | 7900 |

| Line # | Name | Trunk Type | Trunk Mode | Line Type | Control Set | Prime Set |
|---------------|-------------|-------------------|-------------------|------------------|--------------------|------------------|
| 424 | Line424 | Target line | Unsupervised | Public | 7900 | 7900 |
| 425 | Line425 | Target line | Unsupervised | Public | 7900 | 7900 |
| 426 | Line426 | Target line | Unsupervised | Public | 7900 | 7900 |
| 427 | Line427 | Target line | Unsupervised | Public | 7900 | 7900 |
| 428 | Line428 | Target line | Unsupervised | Public | 7900 | 7900 |
| 429 | Line429 | Target line | Unsupervised | Public | 7900 | 7900 |
| 430 | Line430 | Target line | Unsupervised | Public | 7900 | 7900 |
| 431 | Line431 | Target line | Unsupervised | Public | 7900 | 7900 |
| 432 | Line432 | Target line | Unsupervised | Public | 7900 | 7900 |
| 433 | Line433 | Target line | Unsupervised | Public | 7900 | 7900 |
| 434 | Line434 | Target line | Unsupervised | Public | 7900 | 7900 |
| 435 | Line435 | Target line | Unsupervised | Public | 7900 | 7900 |
| 436 | Line436 | Target line | Unsupervised | Public | 7900 | 7900 |
| 437 | Line437 | Target line | Unsupervised | Public | 7900 | 7900 |
| 438 | Line438 | Target line | Unsupervised | Public | 7900 | 7900 |
| 439 | Line439 | Target line | Unsupervised | Public | 7900 | 7900 |
| 440 | Line440 | Target line | Unsupervised | Public | 7900 | 7900 |
| 441 | Line441 | Target line | Unsupervised | Public | 7900 | 7900 |
| 442 | Line442 | Target line | Unsupervised | Public | 7900 | 7900 |
| 443 | Line443 | Target line | Unsupervised | Public | 7900 | 7900 |
| 444 | Line444 | Target line | Unsupervised | Public | 7900 | 7900 |
| 445 | Line445 | Target line | Unsupervised | Public | 7900 | 7900 |
| 446 | Line446 | Target line | Unsupervised | Public | 7900 | 7900 |
| 447 | Line447 | Target line | Unsupervised | Public | 7900 | 7900 |
| 448 | Line448 | Target line | Unsupervised | Public | 7900 | 7900 |
| 449 | Line449 | Target line | Unsupervised | Public | 7900 | 7900 |
| 450 | Line450 | Target line | Unsupervised | Public | 7900 | 7900 |
| 451 | Line451 | Target line | Unsupervised | Public | 7900 | 7900 |
| 452 | Line452 | Target line | Unsupervised | Public | 7900 | 7900 |
| 453 | Line453 | Target line | Unsupervised | Public | 7900 | 7900 |
| 454 | Line454 | Target line | Unsupervised | Public | 7900 | 7900 |
| 455 | Line455 | Target line | Unsupervised | Public | 7900 | 7900 |
| 456 | Line456 | Target line | Unsupervised | Public | 7900 | 7900 |
| 457 | Line457 | Target line | Unsupervised | Public | 7900 | 7900 |
| 458 | Line458 | Target line | Unsupervised | Public | 7900 | 7900 |
| 459 | Line459 | Target line | Unsupervised | Public | 7900 | 7900 |
| 460 | Line460 | Target line | Unsupervised | Public | 7900 | 7900 |
| 461 | Line461 | Target line | Unsupervised | Public | 7900 | 7900 |
| 462 | Line462 | Target line | Unsupervised | Public | 7900 | 7900 |
| 463 | Line463 | Target line | Unsupervised | Public | 7900 | 7900 |
| 464 | Line464 | Target line | Unsupervised | Public | 7900 | 7900 |
| 465 | Line465 | Target line | Unsupervised | Public | 7900 | 7900 |
| 466 | Line466 | Target line | Unsupervised | Public | 7900 | 7900 |

| Line # | Name | Trunk Type | Trunk Mode | Line Type | Control Set | Prime Set |
|--------------------------------|---------|-------------|--------------|-----------|-------------|-----------|
| 467 | Line467 | Target line | Unsupervised | Public | 7900 | 7900 |
| 468 | Line468 | Target line | Unsupervised | Public | 7900 | 7900 |
| 469 | Line469 | Target line | Unsupervised | Public | 7900 | 7900 |
| 470 | Line470 | Target line | Unsupervised | Public | 7900 | 7900 |
| 471 | Line471 | Target line | Unsupervised | Public | 7900 | 7900 |
| 472 | Line472 | Target line | Unsupervised | Public | 7900 | 7900 |
| 473 | Line473 | Target line | Unsupervised | Public | 7900 | 7900 |
| 474 | Line474 | Target line | Unsupervised | Public | 7900 | 7900 |
| 475 | Line475 | Target line | Unsupervised | Public | 7900 | 7900 |
| 476 | Line476 | Target line | Unsupervised | Public | 7900 | 7900 |
| 477 | Line477 | Target line | Unsupervised | Public | 7900 | 7900 |
| 478 | Line478 | Target line | Unsupervised | Public | 7900 | 7900 |
| 479 | Line479 | Target line | Unsupervised | Public | 7900 | 7900 |
| 480 | Line480 | Target line | Unsupervised | Public | 7900 | 7900 |
| 481 | Line481 | Target line | Unsupervised | Public | 7900 | 7900 |
| 482 | Line482 | Target line | Unsupervised | Public | 7900 | 7900 |
| 483 | Line483 | Target line | Unsupervised | Public | 7900 | 7900 |
| 484 | Line484 | Target line | Unsupervised | Public | 7900 | 7900 |
| 485 | Line485 | Target line | Unsupervised | Public | 7900 | 7900 |
| 486 | Line486 | Target line | Unsupervised | Public | 7900 | 7900 |
| 487 | Line487 | Target line | Unsupervised | Public | 7900 | 7900 |
| 488 | Line488 | Target line | Unsupervised | Public | 7900 | 7900 |
| 489 | Line489 | Target line | Unsupervised | Public | 7900 | 7900 |
| 490 | Line490 | Target line | Unsupervised | Public | 7900 | 7900 |
| 491 | Line491 | Target line | Unsupervised | Public | 7900 | 7900 |
| 492 | Line492 | Target line | Unsupervised | Public | 7900 | 7900 |
| Total Target Lines: 252 | | | | | | |

Line Pools

- Pool A:** None
- Pool B:** Lines 91-94, 99-102, 107-110 and 115-118
- Pool C:** Lines 121-124, 129-132, 137-140 and 145-148
- Pool D:** Lines 151-154, 159-162, 167-170 and 175-178
- Pool E:** Lines 181-192 and 197-200
- Pool F:** None
- Pool G:** None
- Pool H:** None
- Pool I:** None
- Pool J:** None
- Pool K:** None
- Pool L:** None
- Pool M:** None
- Pool N:** None
- Pool O:** None
- Pool BlocA:** Lines 61-83 and 211-233

Pool BlocB: None
Pool BlocC: None
Pool BlocD: None
Pool BlocE: None
Pool BlocF: None

Enabled Loops

| Loop # | Port | Type |
|-----------------------|------|------|
| There are no Loops. | | |
| Total Loops: 0 | | |

Call Routing

Routes

| Route # | External Number | Line Pool to Use | Service Type | Service ID | DN Type |
|------------------------|-----------------|------------------|----------------------|------------|---------|
| 0 | None | A | N/A | N/A | Public |
| 2 | None | A | Call By Call Service | N/A | Public |
| Total Routes: 2 | | | | | |

Destination Codes

| Destination Code | Uses Route | Absorbed Length |
|-----------------------------------|------------|-----------------|
| 9 | 2 | 1 |
| Total Destination Codes: 1 | | |

Direct Inward System Access (DISA)

Private DISA DN: None
Public DISA DN: None
Lines Auto-Answering with DISA: None

Call Detail Recording (CDR)

Format: SL1
Feature Code: 00
Report Type: CLID
Report Filter: All
DNIS Information: Enabled
CLID With Name: Enabled
CLID With Call Type: Enabled
Long CLID Support: Disabled
Support Call Charge: Disabled
Answer Supervision: Disabled
Hospitality Records: Disabled
Call Filter Duration: 2
Disk Space Limit: 400MB
Digits Suppress: Disabled
Digits Limit: 11

Clip File Schedule: File Size

Date Format: MM/DD/YY

Header Format: Source/Destination

Voice Mail (CallPilot)

Version: 41.02.55.22-2.78

6. Networking Programming Summary

Network Interfaces

LAN1

Description: Ethernet CSMA/CD
Enabled: Yes
Status: Down
Link Speed: 0 mbps
Physical Address (MAC): 00:00:50:1a:11:3b
Unix Device: eth0
Using DHCP: No
Primary IP Address: 10.10.10.1
Primary Subnet Mask: 255.255.255.0

LAN2

Description: Ethernet CSMA/CD
Enabled: Yes
Status: Up
Link Speed: 100 mbps
Physical Address (MAC): 00:00:50:1a:11:3a
Unix Device: eth1
Using DHCP: No
Primary IP Address: 10.22.41.1
Primary Subnet Mask: 255.255.0.0

ModemBackup

Description: Modem
Enabled: Yes
Status: Down
Disconnect Timeout: 0 Minutes
IP Header Compression: On
Hardware Compression: On
Software Compression: On
MRU: 1500
MTU: 1500

ModemTrapDialOut

Description: Modem
Enabled: Yes
Status: Down
Disconnect Timeout: 0 Minutes
IP Header Compression: On
Hardware Compression: On
Software Compression: On
MRU: 1500
MTU: 1500

Dial-Up Access

Allow Network Access: Yes
Static IP Address Pool: 10.10.14.0
Static IP Address Pool Subnet Mask: 255.255.255.224

Modem Dial-In Settings

Modem Name: Modem
Enabled: Yes
Configured Country: United States

Authentication Level: CHAP (Encrypted Only)
Rings Before Answer: 1

DHCP

DHCP Service Mode: Server

Interface LAN1

Server Status: Disabled
Default Gateway: 10.10.10.1
Primary DNS: 10.10.10.1
Secondary DNS: None
Subnet Mask: 255.255.255.0
NetBIOS(WINS) Server: 10.10.10.1
NetBIOS(WINS) Node Type: H-Node
Lease Time: 259200 Seconds

Ranges Served

| Start Address | End Address |
|---------------|--------------|
| 10.10.10.2 | 10.10.10.254 |

Interface LAN2

Server Status: Disabled
Default Gateway: 10.22.41.1
Primary DNS: 10.22.41.1
Secondary DNS: None
Subnet Mask: 255.255.0.0
NetBIOS(WINS) Server: 10.22.41.1
NetBIOS(WINS) Node Type: H-Node
Lease Time: 259200 Seconds

Ranges Served

| Start Address | End Address |
|---------------|---------------|
| 10.22.41.2 | 10.22.255.254 |

DNS

Status: Enabled
Primary DNS Parent IP: 0.0.0.0

Secondary DNS Parent IP: 0.0.0.0

IP Routing

Routing Type: None (Routing Disabled)

SNMP

Status: Enabled

Engine ID: 00:00:00:63:00:00:00:a1:0a:0a:0a:01

See Section 7, "Alarm Monitoring Summary" for detailed information on SNMP Configuration.

Quality of Service Monitor (QoS)

Service Mode: Enabled - Link-Monitor Mode

Network Address Translation (NAT) and Filters (Firewall)

NAT Enabled: No

IP Policy Filters Enabled: No

H.323 Video Classification: Best Effort

Default Rules for Interfaces

| Interface | Default NAT Rule | Default Firewall Rule | Firewall Logging |
|-------------------|------------------|-----------------------|------------------|
| LAN1 | Pass All | Pass All | Disabled |
| LAN2 | Pass All | Pass All | Disabled |
| ModemBackup | Pass All | Pass All | Disabled |
| ModemTrap-DialOut | Pass All | Pass All | Disabled |

Default Rules for Dial-In Users

| User | Default NAT Rule | Default Firewall Rule | Firewall Logging |
|------------|------------------|-----------------------|------------------|
| nnguest | Pass All | Pass All | Disabled |
| blackbox | Pass All | Pass All | Disabled |
| supervisor | Pass All | Pass All | Disabled |
| sysadmin | Pass All | Pass All | Disabled |
| ee_admin | Pass All | Pass All | Disabled |
| nnadmin | Pass All | Pass All | Disabled |

Virtual Private Network (VPN)

IPSec Service Status: Disabled

Version: 0.0.29

Encryption Methods

| Encryption Type | Status |
|-----------------|---------|
| AES128 SHA1 | Enabled |

| Encryption Type | Status |
|------------------------------|----------|
| AES256 SHA1 | Disabled |
| 3DES MD5 | Enabled |
| 3DES SHA1 | Enabled |
| DES56 MD5 | Enabled |
| DES56 SHA1 | Enabled |
| AH Authentication Only, MD5 | Enabled |
| AH Authentication Only, SHA1 | Enabled |

Diffie-Hellman Groups

| Diffie-Hellman Group | Status |
|----------------------|---------|
| Group 1 | Enabled |
| Group 2 | Enabled |
| Group 5 | Enabled |

Web Cache Proxy

Status: Disabled

Proxy Address: 10.10.10.1

Maximum Size: 20480 KB

Maximum Item Age: 24 Hours

Garbage Scan Frequency: 4 Hours

Block Dial-Up Interface from Cache: Yes

Block LAN1 Interface from Cache: Yes

Block LAN2 Interface from Cache: Yes

Block WAN1 Interface from Cache: Yes

Block WAN2 Interface from Cache: Yes

7. Alarm Monitoring Summary

SNMP Service

Status: Enabled

Engine ID: 00:00:00:63:00:00:00:a1:0a:0a:0a:01

Minimum Required Security: noAuthNoPriv

SNMP Versions Supported: 1, 2, and 3

SNMP Managers

| IP Address | Port |
|------------|------|
| 0.0.0.0 | 0 |
| 10.10.10.1 | 0 |

SNMP Community Strings

| Name | Access |
|---------|-----------|
| Private | Unknown |
| public | Read-Only |

SNMP Service Access Points (SAP)

| User Name | Engine ID | Authorization Protocol | Encryption Protocol | Access |
|---|-----------|------------------------|---------------------|--------|
| No SNMP Service Access Points are configured. | | | | |

SNMP Trap Destinations

| Name | IP Address | Port | Community String | SNMP Version | User |
|---|------------|------|------------------|--------------|------|
| No SNMP Trap Destinations are configured. | | | | | |

